journal of
labelled compounds

INDEX of Vol. V

1969

presses académiques européennes - brussels

AUTHOR INDEX

ANGHILERI L. J. 136
APPLEQUIST D. E. 86

BAILEY W. C. 261
BARTLETT G. M. 275
BASS R. T. 339
BAUER V. J. 87
BENNETT R. D. 160
BENOITON N. L. 265
BILLEK G. 3
BLOSS K. 355
BONNER J. 80

CLARINGBOLD P. J. 21
COBB W. Y. 378
COCUCCI S. 42
COOLEY G. 8
CORE M. T. 339
COUCH J. R. 35
CREGER C. R. 35
CULLEN M. C. 152

DEAN H. G. 156
DEBARDELEBEN J. F. 261
D'IORO A. 265

EKL J. 320
ENDO M. 220
EVANS E. A. 12

FAIGLE J. W. 173
FIGGE K. 122
FILIP J. 241
FILIP J. 295
FILIP J. 320
FISCHER E. 333
FISCHER H. A. 377
FISHER F. 86

GAGER F. L. 339
GARNETT J. L. 21
GELLER L. E. 66
GIZA Y. H. 142
GOSZTONYI T. 196
GOSZTONYI T. 281
GROTTÁ H. M. 285
GUILLAUME M. 72

HARRIS I. A. 8
HAZUE M. 220
HAZUE M. 282
HEFTMANN E. 160
HERMAN Y. F. 363
HERMANN D. A. 351
HOCHREITER M. C. 270
HYBŠ K. 320

ISACSON C. A. 281

JENKINS R. W. 261
JENKINS R. W. Jr. 339
JOLY R. A. 80
JONES J. R. 305

KALBFELD J. 351
KEBERLE H. 173
KIM J. H. 35
KINDL H. 3
KOCH G. H. 99
KOCH G. H. 110

LANZILOTTI A. E. 89
LARSEN N. W. 195
LIFTON J. F. 168
LIN J. K. 257
LIVINGSTON D. C. 198
LOWRY L. K. 363

McGuinness E. T. 152
McGuinness E. T. 371
Malur J. 230
Maul W. 250
Merrill E. J. 346
Miller J. A. 257
Miyake K. 220

Nejedly Z. 241
Nejedly Z. 320
Nicolas H. 181
Noall M. W. 192

O' Keefe J. H. 21
Osdene T. S. 261

Paulus J. M. 181
Pedersen T. 195
Peters J. M. 72
Petitclerc C. 265
Phillips R. F. 12
Pitt H. M. 351

Ratusky J. 211
Repke K. R. H. 230
Ressler C. 142
Riggle C. J. 285

Sauberlich H. E. 363
Sauer H. H. 80
Sauer H. H. 160
Schelenz R. 333
Schellenberg K. A. 270
Schimpl A. 3
Schmidt K. H. 203
Schmook F. P. 3
Schulze P. E. 312
Seiler N. 377
Sheppard G. 275
Silberman N. 66
Sneeden R. P. A. 54
Sturani E. 42
Sturani E. 47

Ter-Pogossian M. M. 168
Thobe J. 377
Turner R. 156
Tykva R. 211

Vyšata F. 295

Welch M. J. 168
Werner G. 200
Werner G. 377

Zeiss H. H. 54
Zelck U. 230
Zuleski F. R. 371

SUBJECT INDEX

A

Acetaminocyanoacetate; Ethyl 2-(o-methoxybenzyl)- —, p. 267
Acetate; Δ^5-furostene-3β-ol-26 oic acid 3- —, p. 163
—, Δ^5-furostene-3β-ol-26-carboxylic acid-26-^{14}C 3 —, p. 163
Acetic acid, catalytic effect of —, pp. 99, 100
Acetonitrile, pp. 99, 100, 101, 111
Acetyltrypsin-^{3}H, prep., p. 198
Aliphatic hydrogens, p. 27
Alkyl hydrogens, p. 31
Alkyl groups - labelling, p. 110
Alkyl monoglycol ether as solvent, p. 100
Amine; tritiated —, p. 377
Aminoazobenzene; N-methyl-4- — - [prime ring-^{3}H(G)], p. 259
aminobiphenyl (3, 2′-dimethyl-4- — tritium labelling), p. 192
2-amino-ethanol-2-^{14}C-hydrochloride, p. 175
2-amino-5-nitrothiazole-2-^{14}C, p. 179
2-aminothiazole-2-^{14}C-nitrate, p. 178
2-aminothiazole-2-^{14}C-hydrochloride, p. 178
2-aminothiazole (synth. of ^{14}C labelled —), p. 173
α-*aminosäuren*; thermische Decarboxylierung, p. 377
p-*anisaldehyde*-4-^{14}C, p. 37
Anisole-1-^{14}C, p. 36
Antipyrine-^{3}H, p. 198
Aprotic solvents, pp. 99, 100
Arachidic acid, p. 120
Arachidonic acid, pp. 110, 120
Aromatic carboxylic acids, p. 211
Aromatic hydrogens, pp. 27, 31
Asparagine; acetyl - DL - —, -4-^{14}C, p. 149
L-*asparagine*-4-^{14}C; Synth., pp. 142, 150
L-*aspartic acid*-4-^{14}C; Synth., pp. 142, 150
Azodicarboxylate potassium (diimide reduction with), p. 114
—, potassium (use for labelling), p. 111

B

Benzalphthalid-($^{14}C_2$), p. 254
Benzene sulfonyl chloride -^{14}C(U) p. 351
Benzoate; (glycolonitrile-1-^{14}C)- —, p. 175
Benzoesäure; 2-Phenyl-äthyl-[1-^{14}C]- — - (carboxyl-^{14}C), p. 254
Benzols; 1,3,5-trimethyl-2,4,6 -tris-(3,5-di-tert-bytyl-4-hydroxy-benzyl-^{14}C) —, p. 124
4-*Brom-guajakol*, p. 5
5-*Brom-guajakol*, p. 5
Bromides, p. 55
—, 2,2-dideutero-4-phenylbutyl, p. 54
—, 1,1-dideutero-4-phenylbutyl, p. 55
25-*Bromocholesterol* acetate, p. 83
5-*Bromouracil*-2-^{14}C; deoxyribosidation of —, p. 244
2-*Brom-phenol*, p. 5
4-*Brom-resorcin*, p. 5
Butenes (tritiation), p. 186
t-Butyl-hydroperoxide, p. 101

C

Carbon-13, p. 307
Carbonyl group; labelled with ^{14}C, p. 3

Carboxyl-^{14}C]; Phthalsäure - [ ], p. 253
—, o-toluysäure-[ ], p. 253
Carboxylic acids; aromatic — labelled with ^{14}C, p. 211
—, acid; Δ^5-furostene-3β-ol-26- — -26-^{14}C 3 acetate, p. 163
—, 2,5 furane — ^{14}C, p. 218
—, 2,6 naphtalene dicarboxylic acid-^{14}C, p. 217
—, 2,5 pyridine—^{14}C, p. 218
Cassaidin - 7α - T, p. 230
Cassaidin-7α -T-hydrochlorid, p. 230
Cassaidin Säure -7α -T, p. 230
Chloride; methyl-T —, synth., p. 282
Cholemic acid acetate, p. 82
Cholesterol-25-^{3}H, prep., pp. 80, 81
Chymotrypsin, p. 267
(-)-*Cocain* (tritiation), p. 201
Chromium, tris-2, 2-dideutero- —, p. 61
—, 1,1-dideutero-4-phenylbutyl —, p. 61
^{51}Cr-β-glycerophosphate, p. 136
Cyanid; Kupfer-I- — -^{14}C, p. 5
L-β-Cyanoalanine-4-^{14}C synth., pp. 142, 148
Cyanoalanine; ethyl acetyl -DL-β - — -4-^{14}C, p. 146
—, acetyl-DL-β - — -4-^{14}C, p. 147
Cyclopropyl, methyl — ketone - (carbonyl) -^{14}C, p. 223

D

Decalin; deuterated, p. 285
Deoxyuridine - ^{14}C, p. 241
Diacetate; Dihydrodiosgenin-26-^{14}C, p. 165
Dibenzosuberon, p. 254
1,1 Dideutero-4-Phenylbutane, p. 54
2,2 —, -4- Phenylbutane, p. 54
Dihydroxyacetone phosphate-1-^{14}C, p. 50
Dihydrodiosgenin-26-^{14}C diacetate, p. 165
Diimide (N_2H_2), p. 99
—, cis- —, p. 107
—, trans- — formation p. 107
—, reduction, pp. 99, 102, 110
Dimethyl formamide, pp. 100, 101
—, sulfoxide, pp. 100, 101
Diosgenin-26-^{14}C synth., p. 160
—; Dihydro-26-^{14}C diacetate, p. 165
Dioxan, p. 100
Diphenylethane derivatives, p. 27
—; Sym. — series, p. 29

E

Enzymatic degrad. of sugars, p. 42
Enzymic synthesis of radioactive nucleotides, p. 320
Estrone-6,7-^{3}H, p. 66
Ethanol as solvent, pp. 100, 15
Ethyl α-^{14}C-isonicotinate, p. 87
Ethyl 2 - (o-methoxybenzyl)-acetamidocyanoacetate, p. 267
Ethylamine; -2-chloro- — -1-^{14}C- hydrochloride, p. 176
Ethylene (tritiation), p. 185
Ethylphosphonodithioate; o-ethyl-S-phenyl-^{14}C (U)- —, p. 353
Ethynyloestradiol-4-^{14}C prep. p. 8

F

Farnesylacetate; geranyl —, -5-^{14}C, p. 229
Farnesylacetic acid-^{14}C synth., pp. 220, 224
Farnesylacetic acid-5-^{14}C, p. 227
Farnesylacetyl chloride-5-^{14}C, p. 229
Farnesyl; homo — bromide-4-^{14}C, p. 227
5-Fluoroorotic acid-^{3}H(G), p. 295
Fluorouracil; 5- — -6-^{3}H prep. p. 295
—, 5- — -2-^{14}C, deoxyribosidation, p. 245
Formamide; dimethyl —, p. 101
Fructose-3-^{14}C synth. p. 50
—; (^{32}P) D- —, -1,6-diphosphate, p. 374
—, (^{32}P) D- — -6-phosphate, p. 374

2, 5- *Furanedicarboxylic acid*-^{14}C, p. 218
Δ^5-*furostene*-3β -ol-26 oic acid 3-acetate, p. 163
Δ^5- —, - 3 β -ol-26 carboxylic acid-26-^{14}C 3-acetate, p. 163

G

Gefarnate-^{14}C, pp. 224, 229
Geraniol ester (gefarnate), p. 220
Geranyl farnesylacetate-5-^{14}C, p. 229
Glucose-3-^{14}C synth., p. 47
— -4-^{14}C —, p. 47
—, degrad. to glycerol, p. 44
—, degrad. to lactic acid, p. 44
—, (^{32}P) D- — 6-phosphate, p. 375
Glutamate; disodium —, NMR, p. 272
Glutamate; labelled, p. 272
Glutamic acid, synth., p. 270
DL- glutamic acid-2-^{3}H, p. 271
DL- glumatic acid-2-^{2}H, p. 271
DL- —, acid dimethyl ester hydrochloride, p. 271
Glyceric acid, p. 44
Glycerol, p. 44
Glycerophosphate, ^{51}Cr-β- —, p. 136
Glycine-2-^{14}C, p. 265
Glycoldimethyl ether, p. 100
(*Glycolonitrile*-1-^{14}C)-benzoate, p. 175

H

Hydantoin; 5-(4-methoxybenzylidene-4-^{14}C)- —, p. 38
Hydrazine; labelling, p. 99
—, reductions with —, pp. 99, 102, 103
Hydrazonium ions ($N_2H_5^+$), p. 103
Hydrocarbures (tritiation d'— oléfiniques), p. 181
Hydrochloride; 2 chloro-ethylamine-1-^{14}C- —, p. 176
Hydrogen-2, p. 306
—, Exchange of alkyl —, p. 31
—, Exchange of aromatic —, p. 31
Hydroxyarylnitriles-(nitril-^{14}C), p. 5
Hydroxybenzaldehydes - (carbonyl-^{14}C), p. 5
25 Hydroxycholesterol, p. 80
Hydroxylic solvents, p. 111

I

Imidazolidinone ring, pp. 173, 177
Iodide; methylene-d_2 —, p. 86
Iodojorm-d, p. 86
Iodouracil; 5- — -2-^{14}C deoxyribosidation, p. 245
Isocyanate; (2-chloro-ethyl-1-^{14}C)- —, p. 176
Isonicotinate; Ethyl α-^{14}C- —, p. 87

K

Ketone; methyl cyclopropyl ketone -(carbonyl)-^{14}C, p. 226
Kryptogenin-26-^{14}C synth., p. 160

L

Linoleic acid; trans - —, p. 103

M

Mannose; [^{32}P]D- — 6-phosphate p. 373
Menthol ^{14}C labelled, p. 261
^{14}C-*menthol* isomers (neomenthol, neoisomenthol, isomenthol and d,l-menthol) sep., p. 261
Menthol; synth. of ^{14}C labeled —, p. 261
—, l- —, -^{14}C biosynthesis, p. 339
Menthones-^{14}C, p. 263
Methan; di-(3,5-di-tert.-butyl-4-hydroxy-phenyl) —, p. 127
0-Methoxybenzyl chloride, p. 265
3-*Methylcyclohexanone*, p. 261

Methyl cyclopropyl ketone-(carbonyl)-^{14}C, pp. 226, 227
Methyl; (^{203}Hg) — mercuric nitrate, synth., pp. 152, 154
Methyl 9-octadecynoate, p. 104
— 9 cis, 11 trans-octade dienoate, p. 104
Methyl α -D- [gluco-^{14}C(U)] pyranoside, p. 275
Methyl-T-chloride, synth., p. 282
1-*Methyl*-4-(5-^{14}C-3-mehtyl-5-isoxazolyl) p. 87
Methylene-d_2 iodide, p. 86
Methyl oleate conversion, p. 116
—, —, reduction in aprotic solvents, pp. 100, 101, 113
—, —, autocatalytic reaction, p. 106
Methyl stearate, specific activities, p. 112
—, *palmitate*, p. 112

N

Naphthalene carboxylic acids, p. 213
2,6-*Naphthalene* dicarboxylic acid-^{14}C, p. 217
Naphthylamine; 1-ethylsulphonyl-4- —, synth., p. 158
Niridazole, p. 173
Nitrate; [^{203}Hg] methyl mercuric —, synth., p. 152
Nitrosoacetamilide; N-methyl-4- —, pp. 257, 258
Nitrogen-15, p. 308
Nitrothiazole; 2-chloro-5- —, p. 173
—, 2-chloro-5- — -2-^{14}C, p. 179
—, 2-amino-5- — -2-^{14}C, p. 179
Noxiptilin-^{14}C synth., p. 250
—, p. 255
Nuclear magnetic resonance spectrometry, p. 305
Nucleoside-5′-triphosphates, synth. of radioactive, p. 320
Nucleotides (enzymic synth. of radioactive —), p. 320

O

Oestrene; 17β-heptanoyloxy-17α-ethinyl-4- — 3-on, ^{14}C and ^{3}H labelled, p. 312
Oestrogens, labelling of synthetic —, p. 21
Oestrone-4-^{14}C, pp. 8,9
Oic acid; Δ^5-furostene-3β-ol-26- — 3-acetate, p. 163
Oleate; conversion of —, p. 112
—, reduction of methyl —, pp. 99, 101
Olefines; p. 183
Olefiniques; tritiation d'hydrocarbures —, p. 181
Oleic acid; conversion of —, p. 116
Önanthat; natrium- — -1-^{14}C, p. 318
Oxygen-15 labelled water, p. 168
— -17; p. 309

P

Paraformaldehyde tritiated, p. 18
—, -^{14}C, p. 122
Parapolyphenyle tritié, microsynth., p.72
Pentanone; 5-chloro-2- — -(carboxyl)-^{14}C, p. 226
Phenol; (2,6-di-tert.-butyl-4-hydroxymethyl-^{14}C)- —, p. 124
—; prep. of 2-D-, 3-D- and 4-D- —, p. 195
—, -1-^{14}C, p. 35
Phenylacetaldehyde (7-^{14}C), synth., p. 378
Phenylacetic acid-4-^{3}H prep., p. 281
Phenylalanine; o-hydroxy-DL- — -2-^{14}C, p. 265
Phenylbutane, 1,1-dideutero — and 2,2-dideutero-4- —, p. 54
4-Phenylbutane; 2,2-dideutero- —, synth., and ^{1}H-NMR, p. 63
4-Phenylbutane; 1,1-dideutero- —, synth., and ^{1}H-NMR, p. 64
4-Phenylbutanol, p. 62
4- —; 2,2-dideutero- — ,p. 63
4- —; 1,1-dideutero- —, p. 64

4-Phenylbutyl bromide; 1, 1-dideutero- —, p. 55
—, —; 2,2-dideutero- —, p. 63
4-Phenyl butyl chromium; tris-2,2-dideutero- and tris-1,1-dideutero- —, pp. 61, 64
4-Phenylbutyric acid; 2, 2-dideutero- —, p. 63
3-Phenylpropanol; 1,1-dideutero- —, p. 62
3-Phenylpropylbromide; 1,1-dideutero- —, p. 62
Phosphates (phosphorus-32 labelled sugar), p. 371
—; [^{32}P] D-Mannose 6- —, p. 373
—; dihydroxyacetone — -1-^{14}C synth., p. 50
3-Phosphoglyceric acid (3PGA), p. 47
3- —, — -1-^{14}C synth., p. 49
Phosphonodithioate; synth. of o-ethyl-S-phenyl-^{14}C(U)-ethyl —, p. 351
Phosphorus-32 labelled polyphosphoric acid, p. 373
Phthalsäure- [carboxyl-^{14}C], p. 253
Platinum; catalytic exchange on heterogenous —, p. 21
Polyphosphoric acid; use of [^{32}P] — p. 371
Polyunsaturated acids, determ. of the structure, p. 119
Potassium azodicarboxylate; use for labelling, p. 111
—, —,; diimide reductions with, p. 114
Propylene; tritiation, p. 185
Pulegone, p. 261
—, -^{14}C, p. 263
Pyranoside; methyl α-D- [gluco-^{14}C (U)] —, pp. 275, 277
Pyridine; 4-(1-^{14}C-acetoacetyl) —, p. 88
—; 4-(5-^{14}C-3-methyl-5-isoxazolyl) —, p. 88
—, 2,5- — carboxylic acid-^{14}C, p. 218
Pyridinium chloride; 1-methyl-4-(5-^{14}C-3-methyl-5-isoxazolyl) synth., p. 88
Pyrocarbonic acid diethylesters labelled with ^{14}C synth., p. 333

Q

Quinazolinone, p. 346
—; 3-(o-chlorophenyl)-2-methyl-4 [3H]- — -2 and 4-^{14}C, p. 346

R

Resonance; nuclear magnetic — spectrometry, p. 305
Riboflavin (*UL*)-^{14}C prep., p. 363

S

Spectrometry; nuclear magnetic resonance —, p. 305
Stearic acid, p. 118
Stearolic acid, p. 103
Steroids; decomp. of labelled —, p. 66
Stilbene derivatives, p. 27
Stilboestrol derivatives, p. 28
—, diethyl, p. 24
—, dimethyl, p. 24
Streptomycine; dihydro — -^{3}H, p. 197
Sugars; enzymatic degrad., p. 42
Sulfoxide; dimethyl —, p. 101
Sulphonamide; 1-ethylsulphonylnaphthalene-4-(^{35}S)- —, p. 156

T

Tetracycline-^{3}H, p. 197
Thiazole ring, p. 173
Thionyl chloride, pp. 266, 267
Tocopherol; DL-α- — labelled with tritium, p. 12
—; DL-α- — -5-methyl-T, p. 18
—; DL-α- — -5-methyl-^{14}C, T, p. 19
o-Toluysäure-[carboxyl-^{14}C], p. 253
Trans-stilbene derivatives, pp. 21, 28

Tritioammonia as a tritiating agent, p. 355
Tyrosine; DL- — -4-^{14}C, p. 39
—; DL-o- — -2-^{14}C, pp. 267, 268
—; L-o- — 2-^{14}C, p. 267
—; D-o- — 2-^{14}C ethylester, p. 267
—; DL-o — 2-^{14}C, p. 267

U

Uridine; deoxy — -^{14}C, p. 241

Z

Zimtsäuren-1-^{14}C, p. 4

Vth International Symposium
on Chromatography and Electrophoresis

The Belgian Society of Pharmaceutical Sciences organized its Fifth International Symposium on Chromatography and Electrophoresis in September 1968.

The interest that the first symposium aroused has only continued to strengthen. This is not surprising when one considers the number of problems posed in biochemical and analytical research that have been resolved thanks to the new techniques in chromatography and electrophoresis.

The Proceedings of the Fifth Symposium contain the texts of four lectures dealing with the personal research work carried out in the field of chromatography and electrophoresis by well-known researchers.

These lectures are followed by 67 papers dealing with the most recent developments of thin-layer and gas chromatographical analyses as well as the electrophoretical and immunoelectrophoretical analyses.

The extensive bibliography completing each lecture and paper and the profuse illustrations of each paper increase even further the usefulness of this work as a major source of documentation on these rapidly evolving techniques.

These lectures and papers, of which approximately half are in English, constitute **one volume of 594 pages. Price 780 Belgian francs.**

ORDER FORM

To your local bookseller or

PRESSES ACADÉMIQUES EUROPÉENNES,
98, chaussée de Charleroi,
Bruxelles 6, Belgium

Please send me.....copy(ies)
of the Proceedings of the

Vth International Symposium on Chromatography and Electrophoresis

Price : 780 Belgian francs.

NAME .....

ADDRESS .....

.....

.....

DATÉ .....

Save! If money accompanies order, customer pays no postal charges.

PRESSES ACADEMIQUES EUROPEENNES
98, Chaussée de Charleroi, 1060, Bruxelles, Belgium

IMPRIMÉ SUR LES PRESSES
DE VAILLANT-CARMANNE, S. A.
4, PLACE SAINT-MICHEL, LIÈGE